



*This Part requires two clamps, part number 096-300.
See additional drawing for information on these clamps.

NOTES:
- SOME HIDDEN LINES NOT SHOWN
- BREAK ALL SHARP CORNERS
- REPORT ALL CHANGES TO ENGINEERING

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FERNCO, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FERNCO, INC. IS PROHIBITED.

| | |
|---------------------|-------------------|
| Part Weight | 1.24 lbs. |
| Min/Max Temp. | -30/140 Degrees F |
| Pressure Tested | 4.3 PSI |
| Material | Flexible PVC |
| Installation Torque | 60" Lbs. |
| Conforms to ASTM | D5926 |
| Box Quantity | 20 |
| Clamps used | 300 Series |

TOLERANCES:
.X= Fractional ±
.XX= ±.02
.XXX= ±.030
ANG.= ±0.5°
UNLESS OTHERWISE SPECIFIED

DESCRIPTION:
Coupling 4" Concrete x 4" Concrete

1004-44

| | | | |
|--|----------|-----------|--------------|
| UNITS: | SIZE | DESIGNER: | SCALE |
| INCHES | A | D. Brady | not to scale |
| 3RD ANGLE PROJECTION DO NOT SCALE DRAWING | CHECKER: | DATE: | SHEET 1 OF 1 |
| | | 1/31/2007 | |